## What is claimed is:

1. A call error prevention method, said method comprising the steps of:

inputting a call number;

checking whether the input number is a recognizable call service code;

determining whether the input number contains the same number of digits as a recognized call service code; and

generating an input error warning if the input number does not contain the same number of digits as the recognized call service code.

- 2. The call error prevention method of claim 1, further comprising the step of placing the call if the input number is not a recognizable call service code.
- 3. The call error prevention method of claim 1, further comprising the step of placing the call if the input number contains the same number of digits as a recognized call service code.
- 4. The call error prevention method of claim 1, further comprising the step of re-inputting the call number to correct a call error.
- 5. A call error prevention method, said method comprising the steps of:

inputting a call number;

checking whether the input number is a recognizable call service code;

determining whether the input number contains the same number of digits as a recognized call service code;

generating an input error warning if the input number does not contain the same number of digits as the recognized call service code; and

checking whether a call is to be placed using the recognized call service code.

- 6. The call error prevention method of claim 5, further comprising the step of placing the call if the input number is not a recognizable call service code.
- 7. The call error prevention method of claim 5, further comprising the step of placing the call if the input number contains the same number of digits as a recognized call service code.

- 8. The call error prevention method of claim 5, further comprising the step of re-inputting the call number to correct a call error.
- 9. A call error prevention method, said method comprising the steps of:

inputting a call number;

checking whether the input number is a recognizable emergency call number; determining whether the input number contains the same number of digits as a recognized emergency call number;

generating an input error warning if the input number does not contain the same number of digits as the recognized emergency call number; and

checking whether a call is to be placed using the recognized emergency call number.

- 10. The call error prevention method of claim 9, further comprising the step of placing the call if the input number is not a recognizable emergency call number.
- 11. The call error prevention method of claim 9, further comprising the step of placing the call if the input number contains the same number of digits as a recognized emergency call number.
- 12. The call error prevention method of claim 9, further comprising the step of re-inputting the call number to correct a call error.
- 13. A communication unit adapted to check an input call number against a store of recognizable call service codes, determine whether the input number contains the same number of digits as a recognized call service code, and generate an input error warning if there is a mismatch in the number of digits between the input number and the recognized call service code.
- 14. A communication unit adapted to check an input call number against a store of recognizable call service codes, determine whether the input number contains the same number of digits as a recognized call service code, generate an input error warning if there is a mismatch in the number of digits between the input number and the recognized call service

code, and check whether a call is to be placed using the recognized call service code.

15. A communication unit adapted to check an input call number against a store of recognizable emergency call numbers, determine whether the input number contains the same number of digits as a recognized emergency call number, generate an input error warning if there is a mismatch in the number of digits between the input number and the recognized emergency call number, and check whether a call is to be placed using the recognized emergency call number.